

# **ARDEX WPM 290**

# Solvent for ARDEX WA 98 A

Specifically designed solvent for use with ARDEX WA 98 A Contact Adhesive

Coagulates adhesive for easier removal

Reduced damage to sufaces

### **ARDEX Australia Pty Ltd**

20 Powers Road Seven Hills NSW 2147 Phone: 1300 788 780 Fax: 1300 780 102

Email: technicalservices@ardexaustralia.com

www.ardexaustralia.com

#### **ARDEX New Zealand Ltd**

15 Alfred Street Onehunga, Auckland 1061 Phone: 0800 227 339 Fax: (03) 384 9779 Email: info@ardexnz.com www.ardex.co.nz

# ARDEX WPM 290

## Solvent for ARDEX WA 98 A

#### DESCRIPTION

ARDEX WPM 290 is a mild solvent suitable for cleaning down surfaces and waterproofing membranes contaminated with dried ARDEX WPM 290. The solvent works by coagulating, rather than dissolving, the dried adhesive therefore providing easier removal and reduced surface damage.

#### USES

For optimum results, use ARDEX WPM 290 to wipe down surfaces prior to adhering with ARDEX WA 98 A.

Where necessary ARDEX WPM 290 may be used for thinning ARDEX WA 98 A to reduce viscosity and aid with flow characteristics.

Thinning is unnecessary unless the adhesive has thickened due to solvent evaporation, caused by the lid being left open for long periods.

Dry adhesive surfaces may be reactivated by wiping over with ARDEX WPM 290 solvent.

For cleaning equipment, brushes, rollers, etc., and for removing adhesive from surfaces.

#### **PACKAGING**

ARDEX WPM 290 is available in 20L. 4L. and 1L cans.

Product Name	Size	Product Code
ARDEX WPM 290	20L	13050
ARDEX WPM 290	4L	10874
ARDEX WPM 290	1L	10873

#### **TECHNICAL DATA**

Characteristics	Result
Appearance	Thin clear highly flammable liquid
Initial boiling point and boiling range	21°C
Flash Point	-22°C
Evaporation rate	9.0 BuAc=1
Vapour pressure	23.81
Solubility in water	Partly miscible
Vapour density	3.2
Relative density	0.77
Volatile componenet	100%

#### **PRECAUTIONS**

The solvents in ARDEX WPM 290 are Highly Flammable. Keep away from naked flames, electrical appliances/lights, lighted cigarettes, etc. Use only in a well ventilated area. Refer to Material Safety Data Sheet for more details.

Use with adequate ventilation. Do not eat, drink or smoke while using. Store in a cool, well ventilated area and indoor temperature must be between  $5^{\circ}$ C and  $20^{\circ}$ C. Dispose of empty containers safely. Do not contaminate water supply.

If swallowed, do not induce vomiting. Rinse out mouth and provide liquids slowly. Seek medical attention without delay.

If skin contact occurs, immediately remove all contaminated clothing. Flush skin with running water and soap. Seek medical attention in event of irritation.

If product comes in contact with eyes, flush eye immediately with fresh running water. Keep eyelids apart and away from eye. Seek medical attention without delay.

If inhaled, remove person from contamiated area, lay down, and keep warm and rested. Remove items which may block airway. Seek medical attention without delay

Toll Free Technical Services: 1800 224 070 (Australia) 0800 227 339 (New Zealand)

The technical details, recommendations and other information contained in this data sheet are given in good faith and represent the best of our knowledge and experience at the time of printing. It is your responsibility to ensure that our products are used and handled correctly and in accordance with any applicable New Zealand & Australian Standards, our instructions and recommendations and only for the uses they are intended. We also reserve the right to update information without prior notice to you to reflect our ongoing research and development program. Country specific recommendations, depending on local standards, codes of practice, building regulations or industry guidelines, may effect specific installation recommendations. The supply of our products and services is also subject to certain terms, warranties and exclusions, which may have already been disclosed to you in prior dealings or are otherwise available to you on request. You should make yourself familiar with them.

© ARDEX New Zealand Ltd 2018.

All aforementioned products are the trademarks of ARDEX New Zealand Ltd, its licensors and affiliates. This data sheet was issued in September 2018 and is valid for 3 years, in some instances a newer version may be published. Always refer to www.ardex.co.nz for the latest technical data from ARDEX New Zealand Ltd.