



---

# ARDEX ACP 10

## Tile and Grout Finishing Sealer

---

Preserve the natural look of your tiles

Does not significantly change the appearance of the tile

Non yellowing

UV resistant

For internal and external applications

Low VOC content

---

**ARDEX Australia Pty Ltd**

20 Powers Road  
Seven Hills NSW 2147  
Phone: 1300 788 780  
Fax: 1300 780 102  
Email: [technicalservices@ardexaustralia.com](mailto:technicalservices@ardexaustralia.com)  
Internet: [www.ardexaustralia.com](http://www.ardexaustralia.com)

**ARDEX New Zealand Ltd**

15 Alfred Street  
Onehunga, Auckland, 1061  
Phone: 0800 227 339  
Email: [info@ardexaustralia.com](mailto:info@ardexaustralia.com)  
[www.ardex.nz.co](http://www.ardex.nz.co)

# ARDEX ACP 10

## Tile and Grout Finishing Sealer

### DESCRIPTION

ARDEX ACP 10 Tile and Grout Finishing Sealer is a natural look water based penetrating sealer. It maintains the natural appearance of the surface whilst offering superior stain resistance of both oil and water based stains making sealed areas easier to clean. Suitable for indoor and outdoor use with excellent UV resistance and non yellowing. ARDEX ACP 10 Tile and Grout Finishing Sealer is suitable over a wide range of surfaces.

### SUITABLE SURFACES

Internal and external porous ceramic tiles, quarry tiles, slate, stone, terracotta, terrazzo, granite, cement, pavers, stenciled concrete, cement based grout, dispersion grouts.

### SURFACE PREPARATION

All surfaces must be cleaned free from dust, dirt, grease, oil, previous surface coatings and adhesive and other surface contaminants. Any surface contamination, surface irregularities or stains existing at the time of coating will be evident and locked in to the final finish. Test sealer in a small inconspicuous area to determine suitability for the project.

### APPLICATION

Apply sealer by brush, roller or a low volume spray applicator.

Care should be taken not to apply excess material in each coat. Any material that has not penetrated into the surface after 10 minutes shall be removed with a cloth.

The number of coats required will vary depending on the porosity of the surface. Allow 30 minutes to 1 hour drying time between subsequent coats. Most surfaces will require two coats however porous surfaces may require additional coats to sufficiently seal pores.

### DRYING TIME

Allow 30 minutes to 1 hour drying time between coats. Allow 24 hours curing before subjecting to light pedestrian traffic, 3 days for rubber wheeled traffic and 7 days for full cure and maximum traffic loading.

### COVERAGE

ARDEX ACP 10 Tile and Grout Finishing Sealer will cover approximately 20m<sup>2</sup> per 1L in a single coat depending on the porosity of the surface and application technique.

### CLEAN UP

Clean all equipment in warm water or water/detergent immediately on completion of project.

### PACKAGING

ARDEX ACP 10 Tile and Grout Finishing Sealer is available in a 1L and 4L container.

### SHELF LIFE

ARDEX ACP 10 Tile and Grout Finishing Sealer has a shelf life of 24 months when stored unopened at 23°C.

### PRECAUTIONS

ARDEX ACP 10 Tile and Grout Finishing Sealer will repel stains from spills that are cleaned up immediately. If a stain is left in place for an extended period the sealer's ability to repel the stain is reduced. The sealer will not waterproof the surface being sealed. Special consideration should be made for applications around swimming pools. If you are wanting to use this sealer around a swimming pool please contact Ardex Technical Services for further information.

### SAFETY

This product is classified as non-hazardous. Avoid contact with skin and eyes; in case of contact with the eyes, rinse immediately with plenty of water and seek medical advice; wear suitable gloves and eye protection and keep the product out of the reach of children. Avoid inhalation of vapours, in case of ingestion immediately give a glass of water.

To ensure you have the most current technical data for product application please visit [www.ardexaustralia.com](http://www.ardexaustralia.com)

For further material safety data, consult the latest Safety Data Sheet.

**Toll Free Technical Services:**  
**1800 224 070 (Australia)**  
**0800 227 339 (NZ)**

**ARDEX Australia Pty Ltd**  
20 Powers Road  
Seven Hills NSW 2147  
Phone: 1300 788 780  
Fax: 1300 780 102  
Email: [technicalservices@ardexaustralia.com](mailto:technicalservices@ardexaustralia.com)  
[www.ardexaustralia.com](http://www.ardexaustralia.com)

**ARDEX New Zealand Ltd**  
15 Alfred Street  
Onehunga, Auckland, 1061  
Phone: 0800 227 339  
Fax: (03) 3849779  
Email: [info@ardexnz.com](mailto:info@ardexnz.com)  
[www.ardex.co.nz](http://www.ardex.co.nz)

### DISCLAIMER

The technical details, recommendations and other information contained in this data sheet are given in good faith and represent the best of our knowledge and experience at the time of printing. It is your responsibility to ensure that our products are used and handled correctly and in accordance with any applicable Australian Standard, our instructions and recommendations and only for the uses they are intended. Users are advised to confirm that this product is suitable for their application and conforms with the specifications of the system. We also reserve the right to update information without prior notice to you to reflect our ongoing research and development program. Country specific recommendations, depending on local standards, codes of practice, building regulations or industry guidelines, may effect specific installation recommendations. The supply of our products and services is also subject to certain terms, warranties and exclusions, which may have already been disclosed to you in prior dealings or are otherwise available to you on request. You should make yourself familiar with them.

© ARDEX Australia Pty Ltd 2018.

All aforementioned products are the trade marks of ARDEX Australia Pty Ltd, its licensors and affiliates.

This datasheet was issued in August 2018 and is valid for 3 years, in some instances a newer version may be published.

Always refer to [www.ardexaustralia.com](http://www.ardexaustralia.com) for the latest technical data from ARDEX Australia Pty Ltd.